

**MAKE:** NISSAN

**TYPE:** Navara

**MODEL:** MD21 – D22






**YEAR:** 09/1985 on








**DETAIL:** Pickup, Single / Dual Cab, King Cab

J66, HardBody, Bakkie

NISS-53





 FRONT 	TYPE	QTY	PART NUMBER
<p><b>TORSION BAR</b></p>  <p>Type 'D'</p> <p>Suits: D21 (1986 - 1997) Heavy Duty Rate Increased Length 1202mm</p> <p>Suits: D22 (1997 on), J66 Hardbody Heavy Duty Rate Increased Length 892mm</p>	D	2	<b>TB45-1456</b> (Pair)
<p><b>SHOCK ABSORBER</b></p>  <p>Type 'A' 'B' 'C'</p> <p>Heavy Duty Gas</p>	B	2	<b>GS45-097</b>
<p><b>STEERING DAMPER</b></p>  <p>Type 'A'</p> <p>Heavy Duty Complete with Fittings</p>	A	1	<b>SD45-035</b>





 REAR 	TYPE	QTY	PART NUMBER
<p><b>LEAF SPRING</b></p>  <p>Type 'B'</p> <p>3 + 3 Leaves Raised Height (40mm Lift)</p> <p>4 + 3 Leaves Raised Height (40mm Lift) 200Kg to GVM</p>	B	2	<b>NAV-4WD-R</b>
<p><b>SHACKLE BUSH KIT</b></p> <p>Rubber Polyurethane Metal</p>  <p>'A' Type 'B' 'C'</p> <p>Kit Contains: 2 x PT255 8 x SPF203</p>	B	1	<b>PB45-1068K</b>
<p><b>U-BOLT KIT</b></p>  <p>Type 'A' 'B' 'C'</p> <p>Kit Contains: 2 x UB45-788</p>	B	2	<b>UB45-788K</b>
<p><b>SHOCK ABSORBER</b></p>  <p>Type 'A' 'B' 'C'</p> <p>Heavy Duty Gas</p>	A	2	<b>GS59-636</b>
<p><b>SHACKLE KIT</b></p>  <p>'A' 'B' Type 'C' 'D'</p> <p>Greasable Shackle:</p>	A	2	<b>SK45-052</b>

**MAKE:** NISSAN**TYPE:** Navara**MODEL:** D40**YEAR:** 11/2005 on**DETAIL:** 4x4 Dual Cab

NISS-68






FRONT		TYPE	QTY	PART NUMBER
 <p><b>COIL SPRING</b> Type 'C'</p>				
<p>Linear Rate Standard Height (10mm Lift)</p>		C	2	<b>C45-252</b> (Pair)
<p>Linear Rate Raised Height (40mm Lift) Up to 50 Kg Accessories</p>		C	2	<b>C45-256</b> (Pair)
<p>Linear Rate Raised Height (40mm Lift) 50-100 Kg Accessories</p>		C	2	<b>C45-254</b> (Pair)
<p><b>SHOCK ABSORBER</b></p>  <p>Type 'A' 'B' 'C'</p>				
<p>Heavy Duty Gas</p>		B	2	<b>GS45-642</b>



REAR		TYPE	QTY	PART NUMBER
 <p><b>LEAF SPRING</b> Type 'B'</p>				
<p>3 + 2 Leaves Medium Duty Raised Height (40mm Lift)</p>		B	2	<b>L45-002-R</b>
<p>4 + 2 Leaves Heavy Duty Raised Height (40mm Lift) 250Kg to GVM</p>		B	2	<b>L45-003-R</b>
<p>5 + 2 Leaves Super Heavy Duty Raised Height (40mm Lift) 380Kg to GVM</p>		B	2	<b>L45-004-R</b>
<p><b>SHACKLE BUSH KIT</b></p>  <p>Rubber Polyurethane Metal 'A' Type 'B' 'C'</p> <p>Kit Contains: 2 x SPF972 4 x SPF203 4 x PB45-1507</p>		B	1	<b>PB45-1095K</b>
<p><b>U-BOLT KIT</b></p>  <p>Type 'A' 'B' 'C'</p> <p><b>NOTE:</b> Select correct U-Bolt to Suit Appropriate Spring Selection</p> <p>Kit Contains:</p>				
<p><b>L45-002-R</b></p>		B	2	<b>UB59-667K</b>
<p><b>L45-003-R</b></p>		B	2	<b>UB59-667K</b>
<p><b>L45-004-R</b></p>		B	2	<b>UB59-453-2K</b>
<p><b>SHOCK ABSORBER</b></p>  <p>Type 'A' 'B' 'C'</p>				
<p>Heavy Duty Gas</p>			2	<b>GS45-645</b>

**MAKE:** NISSAN**TYPE:** Pathfinder**MODEL:** WD21**YEAR:** 10/1987 – 1995
**DETAIL:** Terrano I, Bakkie, Tracker 4X4  
 2.4L, 3.0L V6, 2.7L TD

NISS-54





FRONT		TYPE	QTY	PART NUMBER
 <p>TORSION BAR Type 'D'</p> <p>Heavy Duty Rate Increased Length 1232mm</p>		D	2	<b>TB45-1458</b> (Pair)
 <p>SHOCK ABSORBER Type 'A' 'B' 'C'</p> <p>Heavy Duty Gas</p>		B	2	<b>GS45-087</b>
 <p>STEERING DAMPER Type 'A'</p> <p>Heavy Duty Complete with fittings</p>		A	1	<b>SD45-035</b>



REAR		TYPE	QTY	PART NUMBER
 <p>COIL SPRING Type 'C'</p> <p><b>Note:</b> Damage will occur to the Drive Line Carrier Bearing If more than 20mm Lift is applied</p> <p>Linear Rate Standard Height</p> <p>Linear Rate Raised Height (20mm Lift) Medium Load to GVM</p> <p>Linear Rate Extra Heavy Duty Raised Height</p>			2	<b>C45-091</b> (Pair)
			2	<b>C45-089</b> (Pair)
			2	<b>C45-083</b> (Pair)
 <p>SHOCK ABSORBER Type 'A' 'B' 'C'</p> <p>Heavy Duty Gas</p>		A	2	<b>GS59-636</b>

**MAKE:** NISSAN**TYPE:** Pathfinder**MODEL:** R51**YEAR:** 2005 on**DETAIL:** Station Wagon, Diesel 2.5L Tdi,  
4.0L V6 Petrol

NISS-67



FRONT		TYPE	QTY	PART NUMBER
				
Linear Rate Lowered Height		C	2	<b>C45-250</b> (Pair)
Linear Rate Standard Height		C	2	<b>C45-252</b> (Pair)
Linear Rate Raised Height (40mm Lift) Up to 50 Kg Accessories		C	2	<b>C45-254</b> (Pair)
<hr/>				
<b>SHOCK ABSORBER</b>				
				
Type	'A'	'B'	'C'	
Heavy Duty Gas		B	2	<b>GS45-642</b>

REAR		TYPE	QTY	PART NUMBER
				
Linear Rate Lowered Height			2	<b>C45-251</b> (Pair)
Linear Rate Standard Height			2	<b>C45-253</b> (Pair)
Linear Rate Raised Height (30mm Lift)			2	<b>C45-255</b> (Pair)
<hr/>				
<b>SHOCK ABSORBER</b>				
				
Type	'A'	'B'	'C'	
Heavy Duty Gas		A	2	<b>GS45-643</b>

**MAKE:** NISSAN





**TYPE:** Terrano





**MODEL:** R20

**YEAR:** 07/1993 on (Europe)  
03/1997 on (Australia)

**DETAIL:** Terrano II, Mistral, Ford Maverick (Europe)  
2.4L, 2.7L TD, 3.0L TDi NISS-60



 FRONT 	TYPE	QTY	PART NUMBER
<p><b>TORSION BAR</b></p>  <p>Type 'D'</p> <p>Heavy Duty Rate Increased Length 1232mm</p>	D	2	<b>TB45-1458</b> (Pair)
<p><b>SHOCK ABSORBER</b></p>  <p>Type 'A' 'B' 'C'</p> <p>Heavy Duty Gas</p>	B	2	<b>GS21-463</b>

 REAR 	TYPE	QTY	PART NUMBER
<p><b>COIL SPRING</b> Type 'C'</p>  <p>Linear Rate Standard Height</p> <p>Linear Rate Raised Height (20mm Lift) Medium Load to GVM</p>		2	<b>C45-091</b> (Pair)
		2	<b>C45-089</b> (Pair)
<p><b>SHOCK ABSORBER</b></p>  <p>Type 'A' 'B' 'C'</p> <p>Heavy Duty Gas</p>	A	2	<b>GS59-636</b>

**MAKE:** NISSAN

**TYPE:** Pathfinder

**MODEL:** R50

**YEAR:** 1995 on

**DETAIL:** Terrano RX

NISS-61



FRONT		TYPE	QTY	PART NUMBER
<p><b>COIL SPRING</b> Type 'C'</p> <p>Linear Rate Standard Height</p> <p>Linear Rate Raised Height (30mm Lift) 60-100Kg Accessories</p> <p>Linear Rate Extra Heavy Duty Raised Height</p>				
			2	<b>C45-220</b> (Pair)
			2	<b>C45-168</b> (Pair)
			2	<b>C45-170</b> (Pair)
<p><b>SHOCK ABSORBER</b></p> <p>Type 'A' 'B' 'C'</p> <p>Heavy Duty Gas</p>			2	Under Development

REAR		TYPE	QTY	PART NUMBER
<p><b>COIL SPRING</b> Type 'C'</p> <p>Linear Rate Standard Height</p> <p>Linear Rate Raised Height (35mm Lift)</p>				
			2	<b>C45-221</b> (Pair)
			2	<b>C45-169</b> (Pair)
<p><b>SHOCK ABSORBER</b></p> <p>Type 'A' 'B' 'C'</p> <p>Heavy Duty Gas</p>			2	Under Development



**MAKE:** NISSAN

**TYPE:** Patrol








**MODEL:** 160 MQ







**YEAR:** 1980 – 11/1983

**DETAIL:** Round Headlights. Ebro, Safari








**NOTE:** Pickup has a Heavier Rear Spring NISS-51









FRONT		TYPE	QTY	PART NUMBER
 <b>LEAF SPRING</b> Type 'A'				
<b>Suits: Petrol &amp; Diesel</b> 6 Leaves Raised Height (30mm Lift)		A	1	MQ-6L-F RH
		A	1	MQ-6L-F LH
<b>SHACKLE BUSH KIT</b> Rubber Polyurethane Metal  Kit Contains: 2 x SPF2054 4 x (22x16x58)		B	1	PB45-1021K
<b>U-BOLT KIT</b>  Type 'A' 'B' 'C'				
Kit Contains: Right Hand Side 2 x UB45-682 Left Hand Side 2 x UB45-451		B	1	UB45-682K
		A	1	UB45-451K
<b>SHOCK ABSORBER</b>  Type 'A' 'B' 'D'				
Heavy Duty Gas		D	2	GS45-077
<b>STEERING DAMPER</b>  Type 'A'				
Heavy Duty Complete with fittings		A	1	SD45-022
<b>SHACKLE KIT</b>  Type 'A' 'B' 'C' 'D'				
Kit Contains: 2 x Greasable Pins & Nuts 2 x Plates, 2 x Metal Bushes		A	2	SK45-029
<b>PIN KIT</b>  Type 'A' 'B' 'C'				
Fit in Pairs		B	2	SP45-027

REAR		TYPE	QTY	PART NUMBER
 <b>LEAF SPRING</b> Type 'B'				
<b>Suits: S.W.B. &amp; L.W.B. Station Wagon</b> 5 + 2 Leaves Raised Height (35mm Lift)		B	1	MQ-WAG-R RH
		B	1	MQ-WAG-R LH
<b>Suits: Pickup</b> 5 + 2 Leaves Raised Height (35mm Lift)		B	1	MQ-UTE-R RH
		B	1	MQ-UTE-R LH
<b>SHACKLE BUSH KIT</b> Rubber Polyurethane Metal  Kit Contains: 2 x SPF2054 4 x SPF2051 4 x SPF2052		B	1	PB45-1022K
<b>U-BOLT KIT</b>  Type 'A' 'B' 'C'				
Kit Contains: 2 x UB45-453		A	2	UB45-453K
<b>SHOCK ABSORBER</b>  Type 'A' 'B' 'C'				
Heavy Duty Gas		C	2	GS45-076
<b>SHACKLE KIT</b>  Type 'A' 'B' 'C' 'D'				
Greasable: Fit in Pairs		C	2	SK45-028
<b>PIN KIT</b>  Type 'A' 'B' 'C'				
Fit in Pairs		B	2	SP45-027

**MAKE:** NISSAN**TYPE:** Patrol**MODEL:** 160 MK**YEAR:** 08/1983 – 1988**DETAIL:** Square Headlights. S.W.B. & L.W.B. Ebro KT/JP 260**NOTE:** Pickup has a Heavier Rear Spring **NISS-52**

FRONT		TYPE	QTY	PART NUMBER
 <p><b>LEAF SPRING</b> Type 'A'</p> <p>Suits: Petrol &amp; Diesel 6 Leaves Raised Height (30mm Lift)</p>		A	1	<b>MK-6L-F RH</b>
		A	1	<b>MK-6L-F LH</b>
<p><b>SHACKLE BUSH KIT</b></p> <p>Rubber Polyurethane Metal</p>  <p>Kit Contains: 4 x SPF2053 2 x SPF2054 2 x (22x16x58)</p>		B	1	<b>PB45-1024K</b>
		B	1	
		C	1	
<p><b>U-BOLT KIT</b></p>  <p>Kit Contains:</p> <p>Right Hand Side 2 x UB45-682 Left Hand Side 2 x UB45-451</p>		B	1	<b>UB45-682K</b>
		A	1	<b>UB45-451K</b>
<p><b>SHOCK ABSORBER</b></p>  <p>Heavy Duty Gas</p>		D	2	<b>GS45-077</b>
<p><b>STEERING DAMPER</b></p>  <p>Heavy Duty Complete with fittings</p>		A	1	<b>SD45-022</b>
<p><b>SHACKLE KIT</b></p>  <p>Kit contains: 2 x Greasable Pins &amp; Nuts 2 x Plates, 1 x Metal Bush</p>		C	2	<b>SK45-025</b>
<p><b>PIN KIT</b></p>  <p>Fit in Pairs</p>		B	2	<b>SP45-027</b>

REAR		TYPE	QTY	PART NUMBER
 <p><b>LEAF SPRING</b> Type 'B'</p> <p>Suits: S.W.B. &amp; L.W.B. Station Wagon 5 + 2 Leaves Raised Height (35mm Lift)</p>		B	1	<b>MQ-WAG-R RH</b>
		B	1	<b>MQ-WAG-R LH</b>
<p>Suits: Pickup 5 + 2 Leaves Raised Height (35mm Lift)</p>		B	1	<b>MQ-UTE-R RH</b>
		B	1	<b>MQ-UTE-R LH</b>
<p><b>SHACKLE BUSH KIT</b></p> <p>Rubber Polyurethane Metal</p>  <p>Kit Contains: 2 x SPF2054 4 x SPF2051 4 x SPF2052</p>		B	1	<b>PB45-1022K</b>
<p><b>U-BOLT KIT</b></p>  <p>Kit Contains: 2 x UB45-453</p>		A	2	<b>UB45-453K</b>
<p><b>SHOCK ABSORBER</b></p>  <p>Heavy Duty Gas</p>		C	2	<b>GS45-076</b>
<p><b>SHACKLE KIT</b></p>  <p>Greasable: Fit in Pairs</p>		C	2	<b>SK45-028</b>
<p><b>PIN KIT</b></p>  <p>Fit in Pairs</p>		B	2	<b>SP45-027</b>



**MAKE:** NISSAN

**TYPE:** Patrol







**MODEL:** Y260







**YEAR:** 1989 on

**DETAIL:** 2.8L TD, S.W.B. & L.W.B.,  
Grand Sud, Baroud

NISS-58



FRONT		TYPE	QTY	PART NUMBER
 <b>LEAF SPRING</b> Type 'A' 6 Leaves Raised Height (35mm Lift)		A	2	<b>NIS-260-F</b>
 <b>SHACKLE BUSH KIT</b> Kit Contains: 2 x SPF2054 4 x SPF2053 2 x (22x16x58)		B B C	1	<b>PB45-1024K</b>
 <b>U-BOLT KIT</b> Type 'A' 'B' 'C' <b>Left Hand Side</b> Kit Contains: 2 x UB45-451 <b>Right Hand Side</b> Kit Contains: 2 x UB45-682		A B	1 1	<b>UB45-451K</b> <b>UB45-682K</b>
 <b>SHOCK ABSORBER</b> Type 'A' 'B' 'D' Heavy Duty Gas		D	2	<b>GS51-116</b>
 <b>SHACKLE KIT</b> Type 'A' 'B' 'C' 'D' Greasable: 2 Greasable Pins & Nuts 2 x Plates, 1 x Metal Bush		C	2	<b>SK45-025</b>
 <b>PIN KIT</b> Type 'A' 'B' 'C' Fit in Pairs		B	2	<b>SP45-027</b>








REAR		TYPE	QTY	PART NUMBER
 <b>LEAF SPRING</b> Type 'B' 5 + 2 Leaves Raised Height (35mm Lift)		B B	1 1	<b>MQ-WAG-R RH</b> <b>MQ-WAG-R LH</b>
 <b>SHACKLE BUSH KIT</b> Kit Contains: 2 x SPF2054 4 x SPF2051 4 x SPF2052		B	1	<b>PB45-1022K</b>
 <b>U-BOLT KIT</b> Type 'A' 'B' 'C' Kit contains: 2 x UB45-453		A	2	<b>UB45-453K</b>
 <b>SHOCK ABSORBER</b> Type 'A' 'B' 'C' Heavy Duty Gas		A	2	<b>GS45-115A</b>
 <b>SHACKLE KIT</b> Type 'A' 'B' 'C' 'D' Greasable: Fit in Pairs		C	2	<b>SK45-028</b>
 <b>PIN KIT</b> Type 'A' 'B' 'C' Fit in Pairs		B	2	<b>SP45-027</b>







**MAKE:** NISSAN**TYPE:** Patrol**MODEL:** Y60 GQ**YEAR:** 1988 on**DETAIL:** Pickup, GR

Leaf Spring Suspension

NISS-57



FRONT		TYPE	QTY	PART NUMBER
 <b>LEAF SPRING</b> Type 'A'				
7 Leaves – Raised Height (45mm Lift) No Accessories		A	2	<b>Y60-7L-F</b>
8 Leaves – Raised Height (45mm Lift) Recommended 50-100Kg Accessories		A	2	<b>Y60-8L-F</b>
<b>SHACKLE BUSH KIT</b> Rubber Polyurethane Metal  Kit Contains: 8 x SPF2260 4 x SPF2270		B	1	<b>PB45-1018K</b>
<b>U-BOLT KIT</b>  Kit Contains: 2 x UB45-669		C	2	<b>UB45-669K</b>
<b>SHOCK ABSORBER</b>  Heavy Duty Gas		B	2	<b>GS45-639B</b>
<b>STEERING DAMPER</b>  Pre 09/1989 Heavy Duty (Big Body) Complete with Fittings 09/1989 on Heavy Duty (Big Body) Heavy Duty. Complete with Fittings		A	1	<b>SD45-834</b>
<b>SHACKLE KIT</b>  Greasable: Fit in Pairs Can be substituted by: Right Hand Side (Anti-Reverse) Left Hand Side (Anti-Reverse)		A	2	<b>SK45-031</b>
		D	1	<b>SK59-047</b>
		D	1	<b>SK59-048</b>
<b>PIN KIT</b>  Greasable: Fit in Pairs		C	2	<b>SP45-026</b>

REAR		TYPE	QTY	PART NUMBER
 <b>LEAF SPRING</b> Type 'B'				
5 + 2 Leaves Raised Height (50mm Lift) Light Load to GVM		B	1	<b>Y60-5+2-R RH</b>
		B	1	<b>Y60-5+2-R LH</b>
6 + 2 Leaves Raised Height (50mm Lift) 300Kg to GVM Recommended		B	1	<b>Y60-6+2-R RH</b>
		B	1	<b>Y60-6+2-R LH</b>
<b>SHACKLE BUSH KIT</b> Rubber Polyurethane Metal  Kit Contains: 12 x SPF2260		B	1	<b>PB59-1019K</b>
<b>U-BOLT KIT</b>  Kit Contains: 2 x UB45-670-1		A	2	<b>UB45-670-1K</b>
<b>SHOCK ABSORBER</b>  Heavy Duty Gas		C	2	<b>GS45-081P</b>
<b>SHACKLE KIT</b>  Greasable: Fit in Pairs Can be substituted by: Right Hand Side (Anti-Reverse) Left Hand Side (Anti-Reverse)		A	2	<b>SK45-031</b>
		D	1	<b>SK59-047</b>
		D	1	<b>SK59-048</b>
<b>PIN KIT</b>  Greasable: Fit in Pairs		C	2	<b>SP45-026</b>

**MAKE:** NISSAN

**TYPE:** Patrol

**MODEL:** Y60 GQ






**YEAR:** 1992 – 05/1999





**DETAIL:** Pickup

Coil Spring Suspension

NISS-59









FRONT		TYPE	QTY	PART NUMBER
 <p><b>COIL SPRING</b> Type 'C'</p>  <p>Linear Rate Standard Height (20mm Lift) Light Load to 30Kg</p> <p>Linear Rate Raised Height (35mm Lift) Up to 50Kg Accessories Recommended</p> <p>Linear Rate Raised Height (75mm Lift)</p> <p>Linear Rate Extra Heavy Duty Raised Height (60mm Lift) 70-120Kg Accessories</p>			2	<b>C45-098</b> (Pair)
			2	<b>C45-102</b> (Pair)
			2	<b>C45-108</b> (Pair)
			2	<b>C45-104</b> (Pair)
 <p><b>SHOCK ABSORBER</b></p> <p>Heavy Duty Gas</p> <p>Type 'A' 'B' 'D'</p>		D	2	<b>GS45-114</b>
 <p><b>STEERING DAMPER</b> Type 'A'</p> <p>Heavy Duty (Big Body) Complete with Fittings</p>		A	1	<b>SD45-836</b>
 <p><b>UNDER BODY BUSH KIT</b></p> <p>Polyurethane Bush</p> <p><b>NOTE:</b> See Rear Under Body Bush Kit</p>				
<p><b>CASTOR KIT</b> Front Radius Arm Castor Kit (<math>\pm 2^\circ</math>)</p> <p>4 x Polyurethane Bushes 4 x Eccentric Bushes (+1 Grease Tube)</p> <p>Raising vehicle will affect castor angle. A wheel alignment is recommended to determine if a castor kit is required.</p>		-	1	<b>SPF1721K</b>






REAR		TYPE	QTY	PART NUMBER
 <p><b>COIL SPRING</b> Type 'C'</p>  <p>Variable Rate Standard Height (20mm Lift) Medium Load to GVM</p> <p>Linear Rate Raised Height (45mm Lift) Recommended</p> <p>Linear Rate Raised Height (75mm Lift)</p> <p>Variable Rate Raised Height (50mm Lift) 200Kg to GVM</p> <p>Variable Rate Raised Height (50mm Lift) 200Kg to GVM</p> <p>Linear Rate Extra Heavy Duty Raised Height (45mm Lift) 450Kg to GVM</p>			2	<b>C45-145V</b> (Pair)
			2	<b>C45-103</b> (Pair)
			2	<b>C45-129</b> (Pair)
			2	<b>C45-115V</b> (Pair)
			2	<b>C45-123V</b> (Pair)
			2	<b>C45-105</b> (Pair)
 <p><b>SHOCK ABSORBER</b></p> <p>Heavy Duty Gas</p> <p>Type 'A' 'B' 'C'</p>		A	2	<b>GS45-115</b>
 <p><b>UNDER BODY BUSH KIT</b></p> <p>Polyurethane Bush</p> <p><b>NOTE:</b> Kit Contains Front &amp; Rear Under Body Bush Kits</p> <p>4 x Front Radius Arm to Chassis Bush 4 x Front Radius Arm to Diff Bush 4 x Front &amp; Rear Panhard Rod Bush 8 x Rear Upper &amp; Lower Trailing Arm Bush</p>		B	1	<b>PB45-1239K</b>

**MAKE:** NISSAN**TYPE:** Patrol**MODEL:** Y60 GQ**YEAR:** 02/1988 – 1998**DETAIL:** S.W.B. GR, Safari, KYY60

NISS-56



 FRONT 	TYPE	QTY	PART NUMBER
<b>COIL SPRING</b> Type 'C'  Linear Rate Standard Height 2 <b>C45-092</b> (Pair) Linear Rate Raised Height (45mm Lift) 2 <b>C45-094</b> (Pair) Variable Rate Raised Height (45mm Lift) 2 <b>C45-096V</b> (Pair)			
<b>SHOCK ABSORBER</b>  Heavy Duty Gas D 2 <b>GS45-114</b> Type 'A' 'B' 'D'			
<b>STEERING DAMPER</b>  Type 'A' (1988 - 08/1989) Heavy Duty Complete with fittings (Big Body) A 1 <b>SD45-834</b> (08/1989 - 1999) Heavy Duty Complete with Fittings (Big Body) A 1 <b>SD45-836</b>			
<b>UNDER BODY BUSH KIT</b>  Polyurethane Bush <b>NOTE:</b> See Rear Under Body Bush Kit			
<b>CASTOR KIT</b> Front Radius Arm Castor Kit ( $\pm 2^\circ$ ) 4 x Polyurethane Bushes 4 x Eccentric Bushes (+1 Grease Tube) - 1 <b>SPF1721K</b> Raising vehicle will affect castor angle. A wheel alignment is recommended to determine if a castor kit is required.			
<b>GEARBOX SPACER KIT</b> Drive Line Vibration May Occur with Raised Suspension. To Reduce Vibration, Use - 1 <b>TC45-001K</b>			

 REAR 	TYPE	QTY	PART NUMBER
<b>COIL SPRING</b> Type 'C'  Linear Rate Standard Height 2 <b>C45-093</b> (Pair) Linear Rate Raised Height (45mm Lift) 2 <b>C45-095</b> (Pair) Variable Rate Raised Height (45mm Lift) 2 <b>C45-097V</b> (Pair)			
<b>SHOCK ABSORBER</b>  Type 'A' 'B' 'C' Heavy Duty Gas A 2 <b>GS45-115</b>			
<b>UNDER BODY BUSH KIT</b>  Polyurethane Bush <b>NOTE:</b> Kit Contains Front & Rear Under Body Bushes <b>Pre 1989</b> 4 x Front Radius Arm to Chassis Bush 4 x Front Radius Arm to Diff Bush 2 x Front Panhard Rod Bush 2 x Rear Panhard Rod Bush 8 x Rear Trailing Arm Bush - 1 <b>PB45-1231K</b> <b>1989 on</b> 4 x Front Radius Arm to Chassis Bush 4 x Front Radius Arm to Diff Bush 4 x Front & Rear Panhard Rod Bush 8 x Rear Upper & Lower Trailing Arm Bush - 1 <b>PB45-1239K</b>			



**MAKE:** NISSAN

**TYPE:** Patrol





**MODEL:** Y60 GQ




**YEAR:** 08/1987 – 1998

**DETAIL:** L.W.B. Station Wagon, GR,  
Safari, WYG60

NISS-55



FRONT		TYPE	QTY	PART NUMBER
 <b>COIL SPRING</b> Type 'C'				
<b>3 Litre Petrol</b> Linear Rate - Standard Height Linear Rate - Raised Height (40mm Lift) Variable Rate - Raised Height (40mm Lift) Linear Rate - Raised Height (50mm Lift) 50-80Kg Accessories Linear Rate - Raised Height (75mm Lift)			2	<b>C45-092</b> (Pair)
			2	<b>C45-094</b> (Pair)
			2	<b>C45-096V</b> (Pair)
<b>4.2 Litre &amp; 2.8 Litre TD</b> Linear Rate - Standard Height Linear Rate - Raised Height (45mm Lift) Up to 50Kg Accessories Linear Rate - Raised Height (75mm Lift)			2	<b>C45-102</b> (Pair)
			2	<b>C45-108</b> (Pair)
<b>4.2 Litre</b> Variable Rate - Raised Height (45mm Lift)			2	<b>C45-110V</b> (Pair)
Linear Rate - Extra Heavy Duty Raised Height (60mm Lift) 70-120Kg Accessories			2	<b>C45-104</b> (Pair)
Linear Rate - Heavy Duty Raised Height (50mm Lift) 60-110Kg Accessories			2	<b>C45-108</b> (Pair)
 <b>SHOCK ABSORBER</b> Heavy Duty Gas Type 'A' 'B' 'D'		D	2	<b>GS45-114</b>
 <b>STEERING DAMPER</b> Type 'A'				
<b>1988 - 08/1989</b> Type 'A' Heavy Duty (Big Body) Complete with fittings		A	1	<b>SD45-834</b>
<b>08/1989 - 1999</b> Heavy Duty (Big Body) Complete with Fittings		A	1	<b>SD45-836</b>
 <b>UNDER BODY BUSH KIT</b> Polyurethane Bush				
<b>NOTE:</b> See Rear Under Body Bush Kit				
<b>CASTOR KIT</b> Front Radius Arm Castor Kit ( $\pm 2^\circ$ )				
4 x Polyurethane Bushes 4 x Eccentric Bushes (+1 Grease Tube)		-	1	<b>SPF1721K</b>
Raising vehicle will affect castor angle. A wheel alignment is recommended to determine if a castor kit is required.				

REAR		TYPE	QTY	PART NUMBER
 <b>COIL SPRING</b> Type 'C'				
Linear Rate - Standard Height Linear Rate - Raised Height (45mm Lift) Variable Rate - Raised Height (45mm Lift) Light Load to GVM			2	<b>C45-099</b> (Pair)
			2	<b>C45-103</b> (Pair)
			2	<b>C45-111V</b> (Pair)
Variable Rate - Extra Heavy Duty Standard Height (10mm Lift) Medium Load to GVM			2	<b>C45-145V</b> (Pair)
Variable Rate - Extra Heavy Duty Raised Height			2	<b>C45-115V</b> (Pair)
Linear Rate Raised Height (50mm Lift) 250Kg Load to GVM <b>OR</b> (75mm Lift) Light Load to GVM			2	<b>C45-129</b> (Pair)
Linear Rate - Extra Heavy Duty Raised Height (45mm Lift) 450Kg Load to GVM			2	<b>C45-105</b> (Pair)
 <b>SHOCK ABSORBER</b> Heavy Duty Gas Type 'A' 'B' 'C'		A	2	<b>GS45-115</b>
 <b>UNDER BODY BUSH KIT</b> Polyurethane Bush				
<b>NOTE:</b> Kit Contains Front & Rear Under Body Bushes				
<b>Pre 1989</b> 4 x Front Radius Arm to Chassis Bush 4 x Front Radius Arm to Diff Bush 2 x Front Panhard Rod Bush 2 x Rear Panhard Rod Bush 8 x Rear Trailing Arm Bush		-	1	<b>PB45-1231K</b>
<b>Post 1989</b> 4 x Front Radius Arm to Chassis Bush 4 x Front Radius Arm to Diff Bush 4 x Front & Rear Panhard Rod Bush 8 x Rear Upper & Lower Trailing Arm Bush		-	1	<b>PB45-1239K</b>



**MAKE:** NISSAN

**TYPE:** Patrol




**MODEL:** Y61 GU







**YEAR:** 01/1999 on

**DETAIL:** Pickup, Front Coil Suspension,  
Rear Leaf Suspension

NISS-63



FRONT		TYPE	QTY	PART NUMBER
 <b>COIL SPRING</b> Type 'C'	4.2L Diesel			
	Linear Rate Standard Height	2		<b>C45-140</b> (Pair)
	Linear Rate Raised Height (40mm Lift)	2		<b>C45-138</b> (Pair)
	Linear Rate Raised Height (50mm Lift)	2		<b>C45-130</b> (Pair)
	OR (40mm Lift) 60Kg Accessories			
4.2L TD	Linear Rate Standard Height	2		<b>C45-132</b> (Pair)
	Linear Rate Raised Height (30mm Lift)	2		<b>C45-130</b> (Pair)
	Linear Rate Raised Height (60mm Lift)	2		<b>C45-134</b> (Pair)
	OR (45mm Lift) 60-110Kg Accessories			
 <b>SHOCK ABSORBER</b> Type 'A' 'B' 'D'				
Heavy Duty Gas		D	2	<b>GS45-114</b>
 <b>STEERING DAMPER</b> Type 'A'				
Heavy Duty (Big Body) Complete with Fittings		A	1	<b>SD51-811</b>
<b>CASTOR KIT</b>  Front Radius Arm Castor Kit ( $\pm 2^\circ$ )  4 x Polyurethane Bushes 4 x Eccentric Bushes (+1 Grease Tube)				
Raising vehicle will affect castor Angle. A wheel alignment is recommended to determine if a castor kit is required.		-	1	<b>SPF1721K</b>






REAR		TYPE	QTY	PART NUMBER
 <b>LEAF SPRING</b> Type 'B'	5 + 2 Leaves Raised Height (40mm Lift)	B	1	<b>Y60-5+2-R RH</b>
		B	1	<b>Y60-5+2-R LH</b>
	6 + 2 Leaves – Heavy Duty Raised Height (50mm Lift)	B	1	<b>Y60-6+2-R RH</b>
	300Kg to GVM Recommended	B	1	<b>Y60-6+2-R LH</b>
<b>SHACKLE BUSH KIT</b> Rubber Polyurethane Metal  Kit Contains: 12 x SPF2260		B	1	<b>PB59-1019K</b>
<b>U-BOLT KIT</b>  Kit Contains: 2 x UB45-454		A	2	<b>UB45-454K</b>
<b>SHOCK ABSORBER</b>  Heavy Duty Gas		C	2	<b>GS45-081P</b>
<b>SHACKLE KIT</b>  Greasable: Fit in Pairs		A	2	<b>SK45-031</b>
Can be substituted by:				
Right Hand Side (Anti-Reverse)		D	1	<b>SK59-047</b>
Left Hand Side (Anti-Reverse)		D	1	<b>SK59-048</b>
<b>PIN KIT</b>  Greasable: Fit in Pairs		C	2	<b>SP45-026</b>





**MAKE:** NISSAN**TYPE:** Patrol**MODEL:** Y61 GU**YEAR:** 05/1999 on**DETAIL:** Pickup

Coil Spring Suspension

NISS-64



FRONT		TYPE	QTY	PART NUMBER
 <b>COIL SPRING</b> Type 'C'				
 <b>2.8L TD &amp; 4.2L Diesel</b> Linear Rate Standard Height			2	<b>C45-140</b> (Pair)
Linear Rate Raised Height (40mm Lift – Recommended)			2	<b>C45-138</b> (Pair)
Linear Rate – Raised Height (75mm Lift)			2	<b>C45-108</b> (Pair)
Linear Rate – Raised Height (50mm Lift) <b>OR</b> (40mm Lift) 60-100Kg Accessories			2	<b>C45-130</b> (Pair)
<b>4.5L &amp; 4.8L Petrol &amp; 4.2L TD</b> Linear Rate – Standard Height			2	<b>C45-132</b> (Pair)
Linear Rate Raised Height (30mm Lift – Recommended)			2	<b>C45-130</b> (Pair)
Linear Rate – Raised Height (75mm Lift)			2	<b>C45-108</b> (Pair)
Linear Rate Raised Height (60mm Lift) <b>OR</b> (45mm Lift) 60-110Kg Accessories			2	<b>C45-134</b> (Pair)
<b>SHOCK ABSORBER</b>  Heavy Duty Gas Type 'A' 'B' 'D'		D	2	<b>GS45-114</b>
<b>STEERING DAMPER</b>  Type 'A' Heavy Duty (Big Body) Complete with Fittings		A	1	<b>SD51-811</b>
<b>UNDER BODY BUSH KIT</b>  Polyurethane Bush <b>NOTE:</b> See Rear Under Body Bush Kit				
<b>CASTOR KIT</b> Front Radius Arm Castor Kit ( $\pm 2^\circ$ ) 4 x Polyurethane Bushes 4 x Eccentric Bushes (+1 Grease Tube) Raising vehicle will affect castor angle. A wheel alignment is recommended to determine if a castor kit is required.		-	1	<b>SPF1721K</b>

REAR		TYPE	QTY	PART NUMBER
 <b>COIL SPRING</b> Type 'C'				
 Linear Rate Standard Height			2	<b>C45-099</b> (Pair)
Linear Rate Raised Height (45mm Lift) Recommended			2	<b>C45-103</b> (Pair)
Linear Rate Raised Height (75mm Lift)			2	<b>C45-129</b> (Pair)
Variable Rate Raised Height (50mm Lift)			2	<b>C45-115V</b> (Pair)
Variable Rate Raised Height (50mm Lift) 200Kg to GVM			2	<b>C45-123V</b> (Pair)
Linear Rate Extra Heavy Duty Raised Height (45mm Lift) 450Kg to GVM			2	<b>C45-105</b> (Pair)
<b>SHOCK ABSORBER</b>  Type 'A' 'B' 'C' Heavy Duty Gas		A	2	<b>GS45-115</b>
<b>UNDER BODY BUSH KIT</b>  Polyurethane Bush <b>NOTE:</b> Kit Contains Front & Rear Under Body Bush Kits 4 x Front Radius Arm to Chassis Bush 4 x Front Radius Arm to Diff Bush 4 x Front & Rear Panhard Rod Bush 8 x Rear Upper & Lower Trailing Arm Bush		B	1	<b>PB45-1239K</b>

**MAKE:** NISSAN

**TYPE:** Patrol

**MODEL:** Y61 GU

**YEAR:** 12/1997 on

**DETAIL:** L.W.B. & S.W.B. Station Wagon  
NISS-62



FRONT		TYPE	QTY	PART NUMBER
<p><b>COIL SPRING</b> Type 'C'</p> <p><b>S.W.B.</b> Linear Rate Raised Height (30mm Lift)</p> <p><b>L.W.B.</b> <b>2.8/3.0L TD &amp; 4.2L Diesel</b> Linear Rate – Standard Height</p> <p>Linear Rate – Raised Height (40mm Lift) Recommended</p> <p>Linear Rate – Raised Height (75mm Lift)</p> <p>Linear Rate Raised Height (50mm Lift)</p> <p><b>OR</b> (40mm Lift) 60-100Kg Accessories</p> <p><b>4.5L &amp; 4.8L Petrol &amp; 4.2L TD</b> Linear Rate – Standard Height</p> <p>Linear Rate Raised Height (30mm Lift – Recommended)</p> <p>Linear Rate – Raised Height (75mm Lift)</p> <p>Linear Rate Raised Height (60mm Lift)</p> <p><b>OR</b> (45mm Lift) 60-110Kg Accessories</p>			2	<b>C45-004</b> (Pair)
			2	<b>C45-140</b> (Pair)
			2	<b>C45-138</b> (Pair)
			2	<b>C45-108</b> (Pair)
			2	<b>C45-130</b> (Pair)
			2	<b>C45-132</b> (Pair)
			2	<b>C45-130</b> (Pair)
			2	<b>C45-108</b> (Pair)
			2	<b>C45-134</b> (Pair)
<p><b>SHOCK ABSORBER</b></p> <p>Type 'A' 'B' 'D'</p> <p>Heavy Duty Gas</p>		D	2	<b>GS45-114</b>
<p><b>STEERING DAMPER</b></p> <p>Type 'A'</p> <p><b>12/1997 - 02/2000</b> Heavy Duty (Big Body) Complete with Fittings</p> <p><b>02/2000 on</b> Heavy Duty (Big Body) Complete with Fittings</p>		A	1	<b>SD51-811</b>
		A	1	<b>SD45-801</b>
<p><b>UNDER BODY BUSH KIT</b></p> <p>Polyurethane Bush</p> <p><b>NOTE:</b> See Rear Under Body Bush Kit</p>				
<p><b>CASTOR KIT</b> Front Radius Arm Castor Kit (<math>\pm 2^\circ</math>)</p> <p>4 x Polyurethane Bushes 4 x Eccentric Bushes (+1 Grease Tube)</p> <p>Raising vehicle will affect castor angle. A wheel alignment is recommended to determine if a castor kit is required.</p>		-	1	<b>SPF1721K</b>

REAR		TYPE	QTY	PART NUMBER
<p><b>COIL SPRING</b> Type 'C'</p> <p><b>S.W.B.</b> Linear Rate Raised Height (40mm Lift)</p> <p><b>L.W.B.</b> Linear Rate Standard Height</p> <p>Linear Rate Raised Height (45mm Lift) Medium Load to GVM Recommended</p> <p>Linear Rate Raised Height (75mm Lift) (45mm Lift) 200Kg to GVM</p> <p><b>OR</b></p>			2	<b>C45-121</b> (Pair)
			2	<b>C45-099</b> (Pair)
			2	<b>C45-103</b> (Pair)
			2	<b>C45-129</b> (Pair)
<p><b>SHOCK ABSORBER</b></p> <p>Type 'A' 'B' 'C'</p> <p>Heavy Duty Gas</p>		A	2	<b>GS45-115</b>
<p><b>UNDER BODY BUSH KIT</b></p> <p>Polyurethane Bush</p> <p><b>NOTE:</b> Kit Contains Front &amp; Rear Under Body Bush Kits</p> <p>4 x Front Radius Arm to Chassis Bush 4 x Front Radius Arm to Diff Bush 4 x Front &amp; Rear Panhard Rod Bush 8 x Rear Upper &amp; Lower Trailing Arm Bush</p>		B	1	<b>PB45-1239K</b>



**MAKE:** NISSAN


**TYPE:** Patrol






**MODEL:** Y60 / Y61






**YEAR:** 1989 on

**DETAIL:** Station Wagon

NISS-66



 <b>FRONT</b> 	<b>TYPE</b>	<b>QTY</b>	<b>PART NUMBER</b>
<b>COIL SPRING</b> Type 'C'  <ul style="list-style-type: none"> <li>NOTE: See warning below</li> </ul> <p>Linear Rate Raised Height 100mm Lift</p>		2	<b>C45-100</b> (Pair)
<b>SHOCK ABSORBER</b>  <p>Type 'A' 'B' 'E'</p> <p>Heavy Duty Gas</p>	D	2	<b>GS51-116</b>
<b>STEERING DAMPER</b>  <p>Type 'A'</p> <p>Heavy Duty (Big Body) Complete with Fittings</p>	A	1	<b>SD51-811</b>
<b>CASTOR KIT</b> <p>Front Radius Arm Castor Kit (<math>\pm 2^\circ</math>)</p> <p>4 x Polyurethane Bushes 4 x Eccentric Bushes (+1 Grease Tube)</p> <p>Raising vehicle will affect castor angle. A wheel alignment is recommended to determine if a castor kit is required.</p>	-	1	<b>SPF1721K</b>
<b>GEARBOX SPACER KIT</b> <p>Drive Line Vibration May Occur with Raised Suspension. To Reduce Vibration, Use</p>	-	1	<b>TC45-001K</b>

 <b>REAR</b> 	<b>TYPE</b>	<b>QTY</b>	<b>PART NUMBER</b>
<b>COIL SPRING</b> Type 'C'  <ul style="list-style-type: none"> <li>NOTE: See warning below</li> </ul> <p>Linear Rate Raised Height 100mm Lift</p>		2	<b>C45-113T</b> (Pair)
<b>SHOCK ABSORBER</b>  <p>Type 'A' 'B' 'C'</p> <p>Heavy Duty Gas</p>	A	2	<b>GS45-913</b>
<b>UNDER BODY BUSH KIT</b>  <p>Polyurethane Bush</p> <p><b>NOTE:</b> Kit Contains Rear Under Body Bushes</p> <p><b>Post 1989</b> 4 x Front Radius Arm to Chassis Bush 4 x Front Radius Arm to Diff Bush 4 x Front &amp; Rear Panhard Rod Bush 8 x Rear Upper &amp; Lower Trailing Arm Bush</p>	B	1	<b>PB45-1239K</b>
<p><b><u>WARNING:</u></b></p> <p>This 100mm lift Suspension Kit is for off-road use only. The following extensive modifications need to be made to the vehicle before the kit is fitted.</p> <ol style="list-style-type: none"> <li>Adjustable Panhard Rods</li> <li>Modified Leading / Trailing Arms</li> <li>Brake Lines</li> <li>Extended Bump Stops</li> <li>Gear Box &amp; Drive Line Modifications</li> <li>Steering Arms</li> </ol> <p><b>Note:</b> No Warranty or Guarantee on Products to suit 4" lift and higher.</p>			